

Safety Data Sheet
according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

1 Identification

- **Product identifier:** AS-16-A
- **Trade name:** CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER
- **Item number(s):** AS-16-A
- **SDS Number:** 39
- **UPC bar code(s):** 699913-10030
- **Application of the substance / the mixture** SOLVENT BASED ANTI-SPATTER
- **Manufacturer/Supplier:**
WWW.CANTESCO.COM

USA ADDRESS:
KEMPER SYSTEM AMERICA, INC.
1200 NORTH AMERICA DR,
WEST SENECA, NY 14224
PH (716) 558-2971

CANADIAN ADDRESS:
ASTARAS CANADA, INC.
4-7075 EDWARDS BLVD
MISSISSAUGA, ONTARIO, L5S 1Z2
PH (905) 624-5463

- **Information department:**
Tel: (716) 558-2971 ext. 228
www.cantesco.com
- **Emergency telephone number:**
ChemTrec (800) 424-9300 / 1-(703)-741-5970
Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

· **Classification of the substance or mixture:**



GHS04 Gas cylinder

Gases Under Pressure - Dissolved Gas	H280	Contains gas under pressure; may explode if heated.
--------------------------------------	------	---



GHS08 Health hazard

Carcinogenicity – Category 2	H351	Suspected of causing cancer.
Specific Target Organ Toxicity - Repeated Exposure - Category 2	H373	May cause damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.



GHS07

Skin Irritation - Category 2	H315	Causes skin irritation.
Eye Irritation - Category 2A	H319	Causes serious eye irritation.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 1)

Specific Target Organ Toxicity - Single Exposure - Category 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Signal word:** Warning

· **Hazard-determining components of labeling:**

methylene chloride

· **Hazard statements:**

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H373 May cause damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

· **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.


P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **NFPA ratings (scale 0 - 4):**



Health = 2

Fire = 0

Reactivity = 1

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 2)

· Dangerous components:

75-09-2	methylene chloride	80-100% w/w *
124-38-9	carbon dioxide	1-5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

· After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

· After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

· After swallowing: Do not induce vomiting, Immediately call a poison center/ doctor.

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture: No further relevant information available.

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: No special measures required.

· Storage

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 3)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

Components with limit values that require monitoring at the workplace:

75-09-2 methylene chloride

EL (Canada)	TWA: 25 ppm IARC 2A
EV (Canada)	TWA: 175 mg/m ³ , 50 ppm
PEL (USA)	STEL: 125 ppm TWA: 25 ppm see 29 CFR 1910.1052
REL (USA)	See Pocket Guide App. A
TLV (USA)	TWA: 174 mg/m ³ , 50 ppm BEI

124-38-9 carbon dioxide

EL (Canada)	STEL: 15000 ppm TWA: 5000 ppm
EV (Canada)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9,000 mg/m ³ , 5,000 ppm
PEL (USA)	TWA: 9000 mg/m ³ , 5000 ppm
REL (USA)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9000 mg/m ³ , 5000 ppm
TLV (USA)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9000 mg/m ³ , 5000 ppm

Ingredients with biological limit values:

75-09-2 methylene chloride

BEI (USA)	0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)
-----------	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:** PVA gloves

(Contd. on page 5)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

· **Eye protection:** Not required.

(Contd. of page 4)

9 Physical and chemical properties

· Form:	Liquid Under Pressure
· Color:	Light yellow
· Odor:	Strong Ether-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-96.7 °C
Boiling point/Boiling range:	104 °C
· Flash point:	Not applicable. Not applicable, as aerosol.
· Flammability (solid, gaseous):	Product is not flammable.
· Ignition temperature:	605 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	13 Vol %
Upper:	22 Vol %
· Vapor pressure at 20 °C:	453 hPa
· Density at 20 °C:	1.056 g/cm ³
· Relative density:	Not determined.
· Vapor density at 20 °C:	2.93 (AIR=1)
· Evaporation rate at 20 °C:	27.5 (BA=1)
· Solubility in / Miscibility with	
Water at 20 °C:	20 g/l
· Partition coefficient (n-octanol/water):	1.25 log POW
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
· Other information	VOC Content: >900 g/kg VOC %: 90% HAP Content: 90% MIR Value: 0.068 g O ₃ /g

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 5)

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects:**

· **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

75-09-2 methylene chloride

Oral	LD50	1,600 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/l (rat)

· **Primary irritant effect**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

75-09-2	methylene chloride	2A
---------	--------------------	----

· **NTP (National Toxicology Program)**

75-09-2	methylene chloride	R
---------	--------------------	---

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 6)

· **Uncleaned packagings**

· **Recommendation:**

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

· **UN-Number**

· **DOT/TDG, ADR, IMDG, IATA** UN1950

· **UN proper shipping name**

· **DOT/TDG** Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III

· **ADR** 1950 AEROSOLS

· **IMDG** AEROSOLS

· **IATA** AEROSOLS, non-flammable, containing substances in Division 6.1, Packing Group III

· **Transport hazard class(es)**


· **DOT/TDG (Transport dangerous goods):**



· **Class** 2.2

· **Label** 2.2, 6.1


· **ADR**



· **Class** 2.5T Gases

· **Label** 2.2+6.1


· **IMDG**



· **Class** 2.2

· **Label** 2.2/6.1

· **IATA**



· **Class** 2.2

· **Label** 2.2 (6.1)

(Contd. on page 8)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 7)

<ul style="list-style-type: none"> · Packing group · DOT/TDG, ADR, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user: · Hazard identification number (Kemler code): - · EMS Number: · Stowage Code 	Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
<ul style="list-style-type: none"> · Segregation Code 	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: · DOT/TDG · Quantity limitations · Remarks: 	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ) 	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met. Code: E0 Not permitted as Excepted Quantity
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks: 	120 ml Code: E0 Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
<ul style="list-style-type: none"> · IATA · Remarks: 	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 1950 AEROSOLS, 2.2 (6.1)

CA

(Contd. on page 9)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

(Contd. of page 8)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

75-09-2 | methylene chloride

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempted

· **Proposition 65**

· **Chemicals known to cause cancer:**

75-09-2 | methylene chloride

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL/NDSL):**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%):**

75-09-2 | methylene chloride

· **Canadian Ingredient Disclosure list (limit 1%):**

124-38-9 | carbon dioxide

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS04 GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

methylene chloride

· **Hazard statements**

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

(Contd. on page 10)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® HEAVY DUTY SOLVENT BASED ANTI-SPATTER

H373 May cause damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure. (Contd. of page 9)

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- **Department issuing SDS:** Product safety department
- **Contact:** Stephen Nowicki
- **Date of the latest revision of the safety data sheet** 05/12/2021 / 1
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent

-CA-