# ITEM: 6AJW7 - Fire Extingshr Dry Chemical ABC 1A

PICK REQ: 1311487284

# **SAFETY DATA SHEET (SDS)**

sps: **D4626** 

# 

Associated Items 36MA20, 36MA21, 36MA23, 36MA24, 36MA25, 6AJW7, 1DGV4, 1FBJ9, 1FBK1 1RK32, 2EHE6, 4T300, 4T301, 4T889, 4XP78, 4XP79, 4XP83, 4XP84, 4XP87, 4XP88 4XP89, 4XP90, 5T899, 5T903, 5T904, 32UW20

BADGER BADGER FIRE PROTECTION

SAFETY DATA SHEET

COMMERCIAL ABC DRY CHEMICAL (FIRE EXTINGUISHING AGENT, PRESSURIZED AND NON-PRESSURIZED)

- 1. IDENTIFICATION -

PRODUCT NAME: COMMERCIAL ABC DRY CHEMICAL (FIRE EXTINGUISHING AGENT, PRESSURIZED AND NON-PRESSURIZED)

OTHER NAMES: MULTI-PURPOSE, AMMONIUM PHOSPHATE, MONOAMMONIUM PHOSPHATE

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

IDENTIFIED USES: FIRE EXTINGUISHING AGENT

RESTRICTIONS ON USE: CONSULT APPLICABLE FIRE PROTECTION CODES

COMPANY IDENTIFICATION: BADGER FIRE PROTECTION 944 GLEWNOOD STATION LANE, SUITE 303 CHARLOTTESVILLE, VA 22901

CUSTOMER INFORMATION NUMBER: (434)-964-3200

EMERGENCY TELEPHONE NUMBER:

CHEMIREC NUMBER:

(800) 424-9300 (703) 527-3887 (INTERNATIONAL)

ISSUE DATE: APRIL 10, 2015

SUPERSEDES DATE: FEBRUARY 9, 2015

SAFETY DATA SHEET PREPARED IN ACCORDANCE WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING OF CHEMICALS (GHS)

- 2. HAZARD IDENTIFICATION

THIS SDS COVERS THE PRODUCT LISTED ABOVE AS SOLD IN PRESSURIZED AND NON-PRESSURIZED CONTAINERS. GHS CLASSIFICATIONS FOR BOTH FORMS ARE LISTED BELOW

GHS CLASSIFICATION - PRESSURIZED:

HAZARD CLASSIFICATION: GAS UNDER PRESSURE - COMPRESSED GAS

LABEL ELEMENTS:

HAZARD SYMBOLS: GAS CYLINDER

SIGNAL WORD: WARNING

HAZARD STATEMENTS: CONTENTS UNDER PRESSURE; MAY EXPLODE IF HEATED.

PRECAUTIONARY STATEMENTS:

PREVENTION: NONE

RESPONSE: NONE

STORAGE: PROTECT FROM SUNLIGHT.

STORE IN WELL-VENTILATED PLACE.

GHS CLASSIFICATION: NON - PRESSURIZED

HAZARD CLASSIFICATION:

THIS PRODUCT IS CLASSIFIED AS NOT HAZARDOUS IN ACCORDANCE WITH THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABBLING (GHS).

HAZARD SYMBOLS: NONE

SIGNAL WORD: NONE

HAZARD STATEMENTS: NONE

PRECAUTIONARY STATEMENTS: PREVENTION: NONE RESPONSE: NONE STORAGE: NONE DISPOSAL: NONE

OTHER HAZARDS:

CITIER HAZARDS:
MICA MAY CONTAIN SMALL QUANTITIES OF QUARTZ (CRYSTALLINE SILICA) AS AN
IMPURITY. PROLONGED EXPOSURE TO RESPIRABLE CRYSTALLINE SILICA DUST AT
CONCENTRATIONS EXCEEDING THE OCCUPATIONAL EXPOSURE LIMITS MAY INCREASE THE
RISK OF DEVELOPING A DISABLING LUNG DISEASE KNOWN AS SILICOSIS. TARC FOUND
LIMITED EVIDENCE FOR FULLWARMY CARCINGENICITY OF CRYSTALLINE SILICA IN

SPECIFIC CONCENTRATION LIMITS: THE VALUES LISTED BELOW REPRESENT THE PERCENTAGES OF INGREDIENTS OF UNKNOWN

ACUTE ORAL TOXICITY: <10% ACUTE DERMAL TOXICITY: <10% ACUTE INHALATION TOXICITY: < ACUTE AQUATIC TOXICITY: <10% <10%

3. COMPOSITION/INFORMATION ON INGREDIENTS -

THIS PRODUCT IS A MIXTURE.

CAS NUMBER CONCENTRATION MONOAMMONIUM PHOSPHATE 7722-76-1 AMMONIUM SULFATE 471-34-1 30 - 40% MICA 12001-26-2 <5% CLAY 1332-58-7 <5% AMORPHOUS SILICA 7631-86-9 <5% DVR NA <1%

NOTE: PRESSURIZED PRODUCT USES NITROGEN OR COMPRESSED AIR AS THE EXPELIANT.

- 4. FIRST - AID MEASURES -

DESCRIPTION OF NECESSARY FIRST-ALD MEASURES:

EYES: IMMEDIATELY FLOOD THE EYE WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, HOLDING THE EYE OPEN. OBTAIN MEDICAL ATTENTION IF SORENESS OR REDNESS PERSISS.

Wash skin thoroughly with soap and water. Obtain medical attention if IRRITATION PERSISTS.

DILLTE BY DRINKING LARGE QUANTITIES OF WATER AND OBTAIN MEDICAL ATTENTION.

Inhalation: Move <u>Victim to fresh air. Obtain medical attention immediately for any</u> BREATHING DIFFICULTY.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: ASIDE FROM THE INFORMATION FOUND UNDER DESCRIPTION OF NECESSARY FIRST AND MEASURES (ABOVE) AND INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, NO ADDITIONAL SYMPTOMS AND EFFECTS ARE ANTICIPATED.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

NOTES TO PHYSICIANS: TREAT SYMPTOMATICALLY.

- 5. FIRE - FIGHTING MEASURES -

SUITABLE EXTINGUISHING MEDIA: SULTABLE EXTINGUISHING MEDIA:
THIS PRESARATION IS USED AS AN EXTINGUISHING AGENT AND THEREFORE IS NOT A
PROBLEM WHEN TRYING TO COMINGL A FIRE. USE EXTINGUISHING AGENT APPROPRIATE
TO CHIER MATERIALS INVOLVED, KEEP PRESSURIZED CONTAINERS AND SURROUNDINGS
COOL WITH WATER SPRAY AS THEY MAY RUPTURE OR BURST IN THE HEAT OF A FIRE.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: PRESSURIZED CONTAINERS MAY EXPLODE IN HEAT OF FIRE.

SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS: WEAR FULL PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS AS APPROPRIATE FOR SPECIFIC FIRE CONDITIONS.

- 6. ACCIDENTAL RELEASE MEASURES -

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR APPROPRIATE PROTECTIVE CLOTHING, PREVENT SKIN AND EYE CONTACT, REMOVE LEAKING CONTAINER TO A SAFE PLACE, VENTILATE THE AREA.

ENVIRONMENTAL PRECAUTIONS: PREVENT LARGE QUANTITIES OF THE MATERIAL FROM ENTERING DRAINS OR WATERCOURSES.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: SWEEP UP OR VACUUM AND TRANSFER INTO SUITABLE CONTAINERS FOR RECOVERY OR DISPOSAL.

- 7. HANDLING AND STORAGE -

PRECAUTIONS FOR SAFE HANDLING: WEAR APPROPRIATE PROTECTIVE CLOTHING. PREVENT SKIN AND EYE CONTACT.

CONDITIONS FOR SAFE STORAGE: CONDITIONS FOR SAFE STORAGE:
PRESSURIZED CONTAINERS SHOULD BE PROPERLY STORED AND SECURED TO PREVENT
FRALLING OR BEING KNOCKED OVER. DO NOT DRAG, SLIDE OR ROLL PRESSURIZED
CONTAINERS. DO NOT DROP PRESSURIZED CONTAINERS OR PERMIT THEM TO STRIKE
AGAINST EACH OTHER. NEVER APPLY FLAME OR LOCALIZED HEAT DIRECTLY TO ANY
PART OF THE PRESSURIZED OR PLASTIC CONTAINERS. STORE PRESSURIZED AND PLASTIC
CONTAINERS AWAY FROM HIGH HEAT SOURCES, STORAGE AREA SHOULD BE: - COOL DRY - WELL VENTILATED - UNDER COVER - OUT OF DIRECT SUNLIGHT

- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION -

COMTROL PARAMETERS: EXPOSURE LIMITS ARE LISTED BELOW, IF THEY EXIST.

ACCHT ILV: 3 MG/M3 TWA, MEASURED AS RESPIRABLE FRACTION OF THE AEROSOL. OSHA PEL: 20 MPPCF, <1% CRYSTALLINE SILICA

CLAY AS KAOLIN, RESPIRABLE FRACTION:

ACGIH TLV: 2 MG/M3 TWA

OSHA PEL: 15 MG/M3 TWA, TOTAL DUST 5 MG/M3 TWA, RESPIRABLE FRACTION

NUISANCE DUST LIMIT:

OSHA PEL: 50 MPPCF OR 15 MG/M3 TWA, TOTAL DUST 15 MPPCF OR 5 MG/M3 TWA, RESPIRABLE FRACTION

APPROPRIATE ENGINEERING CONTROLS USE WITH ADSCIPATE VENTULATION. IF THIS PRODUCT IS USED IN A PRESSURIZED SYSTEM, THERE SHOULD BE LOCAL PROCEDURES FOR THE SELECTION, TRAINING, INSPECTION AND MAINTENANCE OF THIS EQUIPMENT. WHEN USED IN LARGE VOLUMES, USE LOCAL EXHAUST VENTILATION.

INDIVIDUAL PROTECTION MEASURES:

RESPIRATORY PROTECTION:
NOT NORMALLY REQUIRED. USE DUST MASK WHERE DUSTINESS IS PREVALENT, OR TLV
IS EXCESTED. IN OXYGEN DEFICIENT ATMOSPHERES, USE A SELF CONTAINED
BREATHING APPARATUS, AS AN AIR PURIFYING RESPIRATOR WILL NOT PROVIDE

SKIN PROTECTION: GLOVES

EYE/FACE PROTECTION: CHEMICAL GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS. BODY PROTECTION: NORMAL WORK WEAR.

- 9. PHYSICAL AND CHEMICAL PROPERTIES

NON-PRESSURIZED.

APPEARANCE:

PHYSICAL STATE: SOLID (POWDER)

COLOR: PALE YELLOW

ODOR: ODORLESS

ODOR THRESHOLD: NO DATA AVAILABLE

PH: NOT APPLICABLE

SPECIFIC GRAVITY: NO DATA AVAILABLE

BOILING RANGE/POINT (DEG. C/F): NOT APPLICABLE

MELITING POINT (DEG. C/F): NO DATA AVAILABLE

FLASH POINT (PMCC) (DEG. C/F): NOT FLAMMABLE

VAPOR PRESSURE: NO DATA AVAILABLE

EVAPORATION RATE (BUAC=1): NO DATA AVAILABLE

SOLUBILITY IN WATER: NO DATA AVAILABLE

VAPOR DENSITY (AIR = 1): NOT APPLICABLE

VOC (G/L): NONE

VOC (%): NONE

PARTITION COEFFICIENT (N-OCTANOL/WATER): NO DATA AVAILABLE

VISCOSITY: NO DATA AVAILABLE

AUTO-IGNITION TEMPERATURE: NO DATA AVAILABLE

DECOMPOSITION TEMPERATURE: NO DATA AVAILABLE

UPPER EXPLOSIVE LIMIT: NO DATA AVAILABLE LOWER EXPLOSIVE LIMIT: NO DATA AVAILABLE

FLAMMABILITY (SOLID, GAS): NO DATA AVAILABLE

EXPELLANT - NITROGEN:

APPEARANCE:

PHYSICAL STATE: COMPRESSED GAS

COLOR: COLORLESS

ODOR: NONE

ODOR THRESHOLD: NO DATA AVAILABLE

PH: NOT APPLICABLE

SPECIFIC GRAVITY: 0.075 LB/FT3 @70 DEG. F AS VAPOR

BOILING RANGE/POINT (DEG. C/F): -196 DEG. C/-321 DEG. F

MELTING POINT (DEG. C/F): NO DATA AVAILABLE

FLASH POINT (PMCC) (DEG. C/F): NOT FLAMMABLE

VAPOR PRESSURE: NO DATA AVAILABLE

EVAPORATION RATE (BUAC=1): NO DATA AVAILABLE

SOLUBILITY IN WATER: NO DATA AVAILABLE

VAPOR DENSITY (AIR = 1): NOT APPLICABLE

VOC (G/L): NONE

VOC (%): NONE

PARTITION COEFFICIENT (N-OCTANOL/WATER): NO DATA AVAILABLE

VISCOSITY: NOT APPLICABLE

AUTO-IGNITION TEMPERATURE: NO DATA AVAILABLE

DECOMPOSITION TEMPERATURE: NO DATA AVAILABLE

UPPER EXPLOSIVE LIMIT: NOT EXPLOSIVE LOWER EXPLOSIVE LIMIT: NOT EXPLOSIVE

FLAMMABILITY (SOLID, GAS): NOT FLAMMABLE

- 10. STABILITY AND REACTIVITY

AND STATES

1.50

 $\{\mathcal{I}_{i,\frac{1}{2}}^{(i)}\}$ 

Salaki.

REACTIVITY:

PRESSURIZED CONTAINERS MAY RUPTURE OR EXPLODE IF EXPOSED TO HEAT.

CHEMICAL STABILITY: STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

CONDITIONS TO AVOID: EXPOSURE TO DIRECT SUNLIGHT - CONTACT WITH INCOMPATIBLE MATERIALS

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS - STRONG ACIDS - SODIUM HYPOXHLORITE

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON - AMMONIA - OXIDES OF PHOSPHORUS - NITROGEN OXIDES

- 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

MONOAMMONIUM PHOSPHATE: ORAL LD50 (RAT) 5750 MG/KG DERNAL LD50 (RABBIT) >5000 MG/KG INHALATION LC50 (RAT): 5.1 MG/L

AMMONIUM SULFATE: ORAL LD50 (RAT): 4250 MG/KG DERMAL LD50 (RABBIT): >2000 MG/KG

MICA: ORAL LD50 (RAT): >2000 MG/KG

AMORPHOUS SILICA: ORAL LD50 (RAT): >5000 MG/KG DERMAL LD50 (RAEBIT): >2000 MG/KG

CLAY: ORAL LD50 (RAT): >5000 MG/KG DERMAL LD50 (RAEBIT): >5000 MG/KG

NITROGEN: SIMPLE ASPHYXIANT

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:

MONOAMMONIUM PHOSPHATE: AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE TARGET ORGAN EFFECTS AFTER A SINGLE EXPOSURE.

AMMONIUM SULFATE:

AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE TARGET ORGAN EFFECTS AFTER A SINGLE EXPOSURE.

EXPOSURE TO NITROGEN GAS AT HIGH CONCENTRATIONS CAN CAUSE SUFFOCATION BY REDUCING OXYGEN AVAILABLE FOR BREATHING. BREATHING VERY HIGH CONCENTRATIONS CAN CAUSE DIZZINESS, SHORTNESS OF BREATH, UNCONSCIOUSNESS OR ASPHYLIATION.

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEAT EXPOSURE:

MONCAMMONIUM PHOSPHATE: AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE TARGET ORGAN EFFECTS AFTER REPEAT EXPOSURE.

AMMONIUM SULFATE: AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE TARGET ORGAN EFFECTS AFTER REPEAT EXPOSURE.

SERIOUS EYE DAMAGE/IRRITATION: MONOAMMONIUM PHOSPHATE: NOT IRRITATING (RABBIT) AMMONIUM SULFATE: NOT IRRITATING (RABBIT) MICA: NOT IRRITATING (RABBIT)

SKIN CORROSION/IRRITATION: MONOAMMONIUM PHOSPHATE: NOT IRRITATING IN RABBIT TEST STUDY AMMONIUM SULFATE: NOT IRRITATING (RABBIT) MICA: NOT IRRITATING (RABBIT)

RESPIRATORY OR SKIN SENSITIZATION:

MONOAMMONIUM PHOSPHATE: NOT SKIN SENSITIZING BASED ON TEST (MOUSE LOCAL LYMPHNODE ASSAY (LINA)) ON AN ANALOGOUS COMPOUND

AMMONIUM SULFATE: NOT SENSITIZING IN GUINEA PIG MAXIMIZATION TEST

CARCINOGENICITY:
MICA MAY CONTAIN SWALL QUANTITIES OF QUARTZ (CRYSTALLINE SILICA) AS AN IMPURITY. PROLONGED EXPOSURE TO RESPIRABLE CRYSTALLINE SILICA DUST AT CONCENTRATIONS EXCEEDING THE COCUPATIONAL EXPOSURE LIMITS MAY INCREASE THE RISK OF DEVELOPING A DISABLING LING DISEASE ROOM AS SILICOSIS. IARC HAS CLASSIFIED SILICA DUST, CRYSTALLINE, IN THE FORM OF QUARTZ OR CRISTOBALITE AS 1 (CARCINOGENIC TO HUMANS).

GERM CELL MUTAGENICITY:

 $1 = \left[ \frac{1}{2} \cdot \frac{1}{2} \right]^{-1/2}$ MONCAMMONIUM PHOSPHATE: NOT MUTAGENIC IN THE MOUSE LYMPHOMA CELLS IN MAMMALIAN CELL GENE MUTATION TYEN VANCOUS

20, 188 25

AMMONIUM SULFATE: NEGATIVE RESULTS IN AMES TEST, IN VITRO MAMMALIAN CHROMOSOME ABERRATION TEST, AND MAMMALIAN CELL GENE MUTATION ASSAY.

REPRODUCTIVE TOXICITY:

MONOAMMONIUM PHOSPHATE: AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE REPRODUCTIVE TOXICITY OR BIRTH DEFECTS.

AMMONIUM SULFATE: AVAILABLE DATA INDICATES THIS COMPONENT IS NOT EXPECTED TO CAUSE REPRODUCTIVE TOXICITY OR BIRTH DEFECTS.

ASPIRATION HAZARD: NOT AN ASPIRATION HAZARD.

## - 12. ECOLOGICAL INFORMATION -

#### ECOTOXICITY:

MONCAMMONIUM PHOSPHATE: LC50 RAINBOW TROUT: >100 MG/L 96H LC50 WATER FLEA: 1790 MG/L 72H (SIMILAR SUBSTANCE)

MOBILITY IN SOIL: NO RELEVANT STUDIES IDENTIFIED.

PERSISTENCE/DEGRADABILITY: NO RELEVANT STUDIES IDENTIFIED.

BIOACCUMULATIVE POTENTIAL: NO RELEVANT STUDIES IDENTIFIED.

OTHER ADVERSE EFFECTS: NO RELEVANT STUDIES IDENTIFIED.

#### - 13. DISPOSAL CONSIDERATIONS -

DISPOSAL METHODS: DISPOSE OF CONTAINER IN ACCORDANCE WITH ALL APPLICABLE LOCAL AND NATIONAL REGULATIONS.

#### 14. TRANSFORT INFORMATION -

SAFETY DATA SHEET INFORMATION IS INTENDED TO ADDRESS A SPECIFIC MATERIAL AND NOT VARIOUS FORMS OR STATES OF CONTAINMENT. SPECIFIC VOLUMES, PRESSURES OR HARDWARE CONFIGURATIONS CONTAINING SUCH MATERIALS CAN DICTATE VARIOUS DIFFERENT HAZARD CLASSIFICATIONS FOR TRANSPORTATION AND LIBELING REQUIREMENTS. UNDER FEDERAL REGULATIONS ONLY TRAINED AND QUALIFIED INDIVIDIALS ARE PERMITTED TO LABEL AND SHIP PRODUCTS FOLLOWING THE APPLICABLE DEPARTMENT OF TRANSPORTATION (DOT), FEDERAL AVIATION ADMINISTRATION (FAA), TRANSPORT CANADA (TC), INTERNATIONAL MARITIME DANGEROUS GOODS (IMCG) OR INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA) REQUIREMENTS.

# - 15. REGULATORY INFORMATION -

UNITED STATES TSCA INVENTORY: THIS PRODUCT CONTAINS INGREDIENTS THAT ARE LISTED ON OR EXEMPT FROM LISTING ON THE EPA TOXIC SUBSTANCE CONTROL ACT CHEMICAL SUBSTANCE INVENTORY.

CANADA DSL INVENTORY:

CANADA DEL INVENIURI: ALL INGREDIENTS IN THIS PRODUCT ARE LISTED ON THE DOMESTIC SUBSTANCE LIST (DSL) OR THE NON-DOMESTIC SUBSTANCE LIST (NDSL) OR ARE EXEMPT FROM LISTING.

SARA TITLE III SECT. 311/312 CATEGORIZATION: PRESSURIZED: PRESSURE HAZARD

SARA TITLE III SECT. 311/312 CATEGORIZATION: NON-PRESSURIZED: NONE

SARA TITLE III SECT. 313: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS THAT ARE LISTED IN SECTION 313 AT OR ABOVE DE MINIMIS CONCENTRATIONS.

#### — 16. OTHER INFORMATION -

 NFPA
 RATINGS:

 NFPA
 CODE
 FOR
 HEALTH
 1

 NFPA
 CODE
 FOR
 FLAMMABILITY
 0

 NFPA
 CODE
 FOR
 REACTIVITY
 0

 NFPA
 CODE
 FOR
 SPECIAL HAZARDS
 NONE

HMIS RATINGS:
HMIS CODE FOR HEALTH
HMIS CODE FOR FLAMMABILITY
0
HMIS CODE FOR PHYSICAL HAZARD
0
HMIS CODE FOR PHYSICAL PROTECTION SEE SECTION 8

### \*CHRONTC

LEGEND:
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
CAS#: CHEMICAL ABSTRACTS SERVICE NUMBER
ECSO: EFFECT CONCENTRATION 50%
LARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
LC50: LETHAL CONCENTRATION 50%
LC50: LETHAL DOSE 50%
N/A: DENOTES NO APPLICABLE INFORMATION FOUND OR AVAILABLE
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL: PERMISSIBLE EXPOSURE LIMIT
STEL: SHORT TERM EXPOSURE LIMIT
TIV: THRESHOLD LIMIT VALUE
TSCA: TOXIC SUBSTANCE CONTROL ACT

REVISION DATE: APRIL 10, 2015

REPLACES: FEBRUARY 9, 2015

CHANGES MADE: UPDATED TO GHS CLASSIFICATION.

INFORMATION SOURCE AND REFERENCES
THIS SDS IS PREPARED BY HAZARD COMMUNICATION SPECIALISTS BASED ON
INFORMATION PROVIDED BY INTERNAL COMPANY REFERENCES.

PREPARED BY: ENVIRONET LLC.

THE INFORMATION AND RECOMMENDATIONS PRESENTED IN THIS SDS ARE BASED ON SOURCES BELIEVED TO BE ACCURATE. BADGER FIRE PROTECTION ASSUMES NO

LIABILITY FOR THE ACCURACY OR COMPLETENESS OF THIS INFORMATION. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUTTABILITY OF THE MATERIAL FOR THEIR PARTICULAR PURPOSES. IN PARTICULAR, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD ENSURE THAT ANY USE OR DISPOSAL OF THE MATERIAL IS IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

1. 15.35 11

1.000

1.00

CARROLL CHARLES CHARLES MICHELLAND ar i dilidi. Hijingarar

<u>ين ۾ ريان</u> 

G CAPPAR

1.63.5

5 7 5

Strain Comme