



## Safety Data Sheet

Issue Date: 5-5-15

# MAT 10-57

Industrial Adhesive Sealant

### Applied Products, Inc.

6035 Baker Road, Minnetonka, MN 55345  
toll free 800.365.2480 fax 800.324.8248

**Emergency Telephone Chemtrec:** 800.424.9300

**Tradename/Formula:** MAT 10-57

**Compound Type:** High Performance Elastomeric Adhesive/Sealant

**Colors available:** Clear, White, Gray, Black

## 2. HAZARDS IDENTIFICATION

### Classification in accordance with 29 CFR 1910.1200.

Toxic to reproduction, Category 2

Hazardous to the Aquatic Environment - Acute Hazard, Category 3

Hazardous to the Aquatic Environment - Chronic Hazard, Category 3

### GHS LABEL ELEMENTS



**Symbol(s)**

**Signal Word:** WARNING

**Hazard Statement(s):** Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.

**Precautionary Statement(s):** Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Avoid release to the environment.

**Response:** IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>COMPONENT</u>	<u>CAS NUMBER</u>	<u>PERCENT</u>
Calcium Carbonate	1317-65-3	30-55
Carbonic acid, calcium salt (1:1)	471-34-1	15-25
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl)ester	53306-54-0	5-15
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.5-2
Titanium dioxide	13463-67-7	0.1-1
Carbon black	1333-86-4	0.01-0.09



## Safety Data Sheet

MAT 10-57

### 4. FIRST AID MEASURES

#### DESCRIPTION OF NECESSARY MEASURES

**IF INHALED:** If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**IF ON SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion:** If a large amount is swallowed, get immediate medical attention.

#### MOST IMPORTANT SYMPTOMS/EFFECTS

**Acute:** Skin irritation and eye irritation.

**Delayed:** Reproductive effects.

**Indication of Immediate Medical Attention and Special Treatment Needed, if Needed:** Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Use carbon dioxide, regular dry chemical, regular foam or water.

**Unsuitable Extinguishing Media:** None known.

#### **SPECIAL HAZARDS ARISING FROM THE CHEMICAL**

##### HAZARDOUS COMBUSTION PRODUCTS

**Combustion:** Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

**Special Protective Equipment and Precautions for Firefighters:** May burn, but does not ignite readily.

**Fire Fighting Measures:** Move material from fire area if it can be done without risk. Cool containers with water. Avoid inhalation of vapors or combustion by-products. Use extinguishing agents appropriate for surrounding fire. Dike for later disposal. Stay upwind and keep out of low areas.

**Protective Equipment and Precautions for Firefighters:** Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear personal protective clothing and equipment, see Section 8. Keep unnecessary people away, isolate hazard area and deny entry. Only personnel trained for the hazards of this material should perform clean up and disposal.

**Methods and Materials for Containment and Cleaning Up:** Ventilate the area. Stop leak if possible without personal risk. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Avoid release to the environment.

### 7. HANDLING and STORAGE

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using this



## Safety Data Sheet

**MAT 10-57**

product. Always wear recommended personal protective equipment. Wear personal protective clothing and equipment, see Section 8. Wash thoroughly after handling.

**Conditions for Safe Storage, including any Incompatibilities:** Store and handle in accordance with all current regulations and standards. Keep container tightly closed. Keep separated from incompatible substances.

**Incompatibilities:** Strong acids, strong oxidizing materials.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### COMPONENT EXPOSURE LIMITS

##### Calcium Carbonate (1317-65-3)

**OSHA:** 15 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable fraction)

**NIOSH:** 10 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable dust)

**Mexico:** 10 mg/m<sup>3</sup> TWA LMPE-PPT  
20 mg/m<sup>3</sup> STEL [LMPE-CT]

##### Carbonic acid, calcium salt (1:1) (471-34-1)

**NIOSH:** 10 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable dust)

##### Titanium dioxide (White, Gray, Beige and Neutral only) (13463-67-7)

**ACGIH:** 10 mg/m<sup>3</sup> TWA

**OSHA:** 15 mg/m<sup>3</sup> TWA (total dust)

**Mexico:** 10 mg/m<sup>3</sup> TWA LMPE-PPT (as Ti)  
20 mg/m<sup>3</sup> STEL [LMPE-CT] (as Ti)

##### Dibutyl tin (818-08-6)

**ACGIH:** 0.1 mg/m<sup>3</sup> TWA (as Sn); 0.2 mg/m<sup>3</sup> STEL (as Sn)

**NIOSH:** 0.1 mg/m<sup>3</sup> TWA (except Cyhexatin, as Sn)

##### Carbon black (\*used in Gray and Black ONLY) (1333-86-4)

**ACGIH:** 3 mg/m<sup>3</sup> TWA (inhalable fraction)

**OSHA:** 3.5 mg/m<sup>3</sup> TWA

**NIOSH:** 3.5 mg/m<sup>3</sup> TWA; 0.1 mg/m<sup>3</sup> TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons, as PAH)

**Mexico:** 3.5 mg/m<sup>3</sup> TWA LMPE-PPT  
7 mg/m<sup>3</sup> STEL [LMPE-CT]

**Appropriate Engineering Controls:** Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

#### INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

**Eyes/Face Protection:** Wear splash resistant safety goggles with a face shield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin Protection:** Wear appropriate chemical resistant clothing.

**Glove Recommendations:** Wear appropriate chemical resistant gloves.

**Protective Materials:** Nitrile

**Respiratory Protection:** Use an approved respirator if exposure limits are exceeded or if irritation develops or persists.



## Safety Data Sheet

MAT 10-57

### 9. PHYSICAL and CHEMICAL PROPERTIES

**Physical State:** Liquid

**Color:** Various

**Odor:** Mild odor

**pH:** Not available

**Boiling Point:** Not available

**Flash Point:** >200 °F

**OSHA Flammability Class:** Not available

**Vapor Density (air = 1):** Not available

**Specific Gravity (water = 1):** 1.3-1.7

**Log KOW:** Not available

**KOC:** Not available

**Viscosity:** Not available

**Volatility:** Not available

**Appearance:** Paste

**Physical Form:** Paste

**Threshold:** Not available

**Melting Point:** Not available

**Decomposition:** Not available

**Evaporation Rate:** Not available

**Vapor Pressure:** Not available

**Density:** Not available

**Water Solubility:** Slightly soluble

**Coeff. Water/Oil Dist:** Not available

**Auto Ignition:** Not available

**VOC:** Not available

**Molecular Formula:** Not available

### 10. STABILITY AND REACTIVITY

**Reactivity:** No reactivity hazard is expected.

**Chemical Stability:** Stable at normal temperatures and pressure.

**Possibility of Hazardous Reactions:** Will not polymerize.

**Conditions to Avoid:** Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

**Incompatible Materials:** Strong acids, strong oxidizing materials.

**Hazardous Decomposition Products:** Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### HAZARDOUS DECOMPOSITION

**Combustion:** Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

**Carbonic acid, calcium salt (1:1) (471-34-1)** Oral LD50 Rat 6450 mg/kg

**Titanium dioxide (White, Gray, Beige and Neutral only) (13463-67-7)** Oral LD50 Rat >10000 mg/kg

#### INFORMATION ON LIKELY ROUTES OF EXPOSURE

**Inhalation:** May be harmful if inhaled.

**Ingestion:** May be harmful if swallowed.



## Safety Data Sheet

MAT 10-57

**Skin Contact:** May cause irritation of the skin. May cause irritation, redness, itching and burning.

**Eye Contact:** May cause irritation of the eyes. Contact may cause tearing, redness, a stinging or burning feeling, swelling, and blurred vision.

**Immediate Effects:** Skin irritation, eye irritation.

**Delayed Effects:** No information is available.

**Medical Conditions Aggravated by Exposure:** Skin disorders, eye disorders.

**Irritation/Corrosivity Data:** Causes skin, eye and respiratory irritation.

**Respiratory Sensitization:** No information available for the product.

**Dermal Sensitization:** No information available for the product.

**Germ Cell Mutagenicity:** No information available for the product.

**Carcinogenicity:** Results of a DuPont epidemiology study showed that employees who had been exposed to titanium dioxide pigments were at no greater risk of developing lung cancer than were employees who had not been exposed to titanium dioxide pigments. No pulmonary fibrosis was found in any of the employees and no associations were observed between titanium dioxide pigment exposure and chronic respiratory disease or lung abnormalities.

Based on the results of this study, DuPont concluded that titanium dioxide pigment will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace.

### COMPONENT CARCINOGENICITY

#### Titanium dioxide (13463-67-7)

**ACGIH:** A4 - Not Classifiable as a Human Carcinogen

**IARC:** Monograph 93 [2010]; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans))

**DFG:** Category 3A (could be carcinogenic for man, inhalable fraction with the exception of ultra small particles)

**OSHA:** Present

#### Carbon black (1333-86-4)

**ACGIH:** A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

**IARC:** Monograph 93 [2010]; Monograph 65 [1996] (Group 2B (possibly carcinogenic to humans))

**DFG:** Category 3B (could be carcinogenic for man, inhalable fraction)

**OSHA:** Present

**Reproductive Toxicity:** May damage fertility or the unborn child

**Specific Target Organ Toxicity - Single Exposure:** No target organs identified.

**Specific Target Organ Toxicity - Repeated Exposure:** No target organs identified.

**Aspiration Hazard:** No information available for the product.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

### COMPONENT ANALYSIS - AQUATIC TOXICITY

#### Diisononyl phthalate (28553-12-0)



## Safety Data Sheet

MAT 10-57

**Fish:** 96 Hr LC50 Brachydanio rerio: >100 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: >0.14 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: >0.17 mg/L [static]; 96 Hr LC50 Pimephales promelas: >0.19 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: >0.14 mg/L [static]

**Algae:** 72 Hr EC50 Desmodesmus subspicatus: >500 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: >1.8 mg/L [static]

**Invertebrate:** 48 Hr EC50 Daphnia magna: >500 mg/L; 48 Hr EC50 Daphnia magna: >0.06 mg/L [Static]

**Persistence and Degradability:** No information available for the product.

**Bioaccumulation:** No information available for the product.

**Mobility:** No information available for the product.

**Biodegradation:** No information available for the product.

### 13. DISPOSAL CONSIDERATIONS

**Disposal Methods:** Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

**Disposal of Contaminated Packaging:** Dispose of properly. Recycle if possible.

**Component Waste Numbers:** The U.S. EPA has not published waste numbers for this product's components.

### 14. TRANSPORTATION INFORMATION

**US DOT Information:** Not regulated as a hazardous material.

**TDG Information:** Not regulated as dangerous goods.

### 15. REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**Acute Health:** No **Chronic Health:** Yes **Fire:** No **Pressure:** No **Reactive:** No

**U.S. State Regulations:** The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Calcium Carbonate	1317-65-3	No	Yes	Yes	Yes	Yes
Titanium dioxide	13463-67-7	No	Yes	Yes	Yes	Yes
Carbon black	1333-86-4	Yes	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

**WARNING!** This product contains a chemical known to the state of California to cause cancer.

**WARNING!** This product contains a chemical known to the state of California to cause reproductive/developmental effects.



## Safety Data Sheet

MAT 10-57

### COMPONENT ANALYSIS - INVENTORY

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
Calcium Carbonate	1317-65-3	Yes	NSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Carbonic acid, calcium salt (1:1)	471-34-1	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl)ester	53306-54-0	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Titanium dioxide	13463-67-7	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Carbon black	1333-86-4	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

### 16. OTHER INFORMATION

**Summary of Changes:** New SDS: 1.00

**Key / Legend:**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS – European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU – European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG – International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL – Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP – National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS – Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

**Other Information:** The information contained herein is based on data considered accurate which has been obtained from other companies and organizations.

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Applied Products from its suppliers, and because Applied Products has no control over the conditions of handling and use, Applied Products makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information and product are supplied solely for your information and discretionary use, Applied Products assumes no responsibility for reliance or use thereon. It is the responsibility of the user of the product to comply with all applicable federal, state and local laws and regulations.