

Safety Data Sheet

SECTION 1: Identification

1.1. Product identifier

Product name : Hygenall[®] LeadOff[™] Brand Cleaning and Decontamination Wipes, All Scents

Recommended use and restrictions on use
 Cleaning dirt, grease and heavy metal dust off skin

1.3. SupplierHygenall Corporation6275 University Drive, Suite 37-390Huntsville, AL 35806

1.4. Emergency telephone number

Emergency number : 866-750-0906

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CAN/GHS-US)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-CAN/GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)
Ethyl alcohol	(CAS No) 64-17-5	<20	Not classified
Proprietary Component	(CAS No) Trade Secret	Trade Secret	Not classified
Citric acid	(CAS No) 77-92-9	<1	Not classified

Full text of H-phrases: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : None necessary as inhalation exposure unlikely due to physical form.

First-aid measures after skin contact

If irritation occurs, wash skin thoroughly with mild soap and room temperature running water.

Remove contaminated clothing. Seek immediate medical attention if irritation continues.

First-aid measures after eye contact : Immediately flush eyes with large amounts of temperate water for a minimum of 15 minutes.

Consult an ophthalmologist for a more detailed medical evaluation.

First-aid measures after ingestion : Not expected to be a significant route of exposure based on expected use. If ingestion occurs, seek immediate medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation : None anticipated under normal product use conditions.

Symptoms/injuries after skin contact : May cause irritation.
Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : None anticipated under normal product use conditions.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

17/11/2015 EN (English US) Page 1

Safety Data Sheet

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : None known.

5.3. Specific hazards arising from the hazardous product
Fire hazard : None known.

Explosion hazard : None known.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

For containment : No special measures required.

Methods for cleaning up : Avoid contact with eyes. Clean up spilled liquid from container with inert absorbent material and

place in an appropriate waste disposal container. Pick up wipes and place in dry trash. Discard

empty canister in trash or rinse and recycle as appropriate.

6.3. Reference to other sections

See Heading 8: Exposure controls and personal protection

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Do not eat, drink, or smoke while handling this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a tightly closed container in a dry secure area inaccessible to children, and protect

from heating and freezing. KEEP OUT OF REACH OF CHILDREN.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl alcohol (64-17-5)			
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm	
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
Canada (Quebec)	VEMP (mg/m³)	1880 mg/m³	
Canada (Quebec)	VEMP (ppm)	1000 ppm	
Alberta	OEL TWA (mg/m³)	1880 mg/m³	
Alberta	OEL TWA (ppm)	1000 ppm	
British Columbia	OEL STEL (ppm)	1000 ppm	
Manitoba	OEL STEL (ppm)	1000 ppm	
New Brunswick	OEL TWA (mg/m³)	1880 mg/m³	
New Brunswick	OEL TWA (ppm)	1000 ppm	
New Foundland & Labrador	OEL STEL (ppm)	1000 ppm	
Nova Scotia	OEL STEL (ppm)	1000 ppm	
Nunavut	OEL STEL (mg/m³)	2355 mg/m³	
Nunavut	OEL STEL (ppm)	1250 ppm	
Nunavut	OEL TWA (mg/m³)	1884 mg/m³	
Nunavut	OEL TWA (ppm)	1000 ppm	
Northwest Territories	OEL STEL (ppm)	1250 ppm	
Northwest Territories	OEL TWA (ppm)	1000 ppm	
Ontario	OEL STEL (ppm)	1000 ppm	
Prince Edward Island	OEL STEL (ppm)	1000 ppm	

Safety Data Sheet

Ethyl alcohol (64-17-5	5)		
Québec	VEMP (mg/m³)	1880 mg/m³	
Québec	VEMP (ppm)	1000 ppm	
Saskatchewan	OEL STEL (ppm)	1250 ppm	
Saskatchewan	OEL TWA (ppm)	1000 ppm	
Yukon	OEL STEL (mg/m³)	1900 mg/m³	
Yukon	OEL STEL (ppm)	1000 ppm	
Yukon	OEL TWA (mg/m³)	1900 mg/m³	
Yukon	OEL TWA (ppm)	1000 ppm	

8.2. Appropriate engineering controls

Appropriate engineering controls : None required under normal product handling conditions.

8.3. Individual protection measures/Personal protective equipment

Hand protection : None required under normal product handling conditions. Eye protection : None required under normal product handling conditions.

Skin and body protection : Wear suitable working clothes.

Respiratory protection : None required under normal product handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Non-woven cloth wipe with applied aqueous solution.

Odor : Varies

Odor threshold : No data available На : No data available pH solution No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point No data available Freezing point : No data available Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) : No data available Vapor pressure No data available Vapor pressure at 50 °C No data available Relative vapor density at 20 °C No data available Relative density of saturated gas/air mixture No data available

Specific gravity / density : Approx. 1.0 (liquid expressed from wipe)

Relative gas density : No data available

Solubility : Soluble (liquid expressed from wipe)

Log Pow No data available Log Kow No data available Viscosity, kinematic No data available Viscosity, kinematic (calculated value) (40 °C) : No data available No data available Explosive properties Oxidizing properties No data available Explosion limits : No data available LEL No data available UEL No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Chemical stability : The product is stable at normal handling and storage conditions.

Describility of herordous resoliens . Mill not ass

Safety Data Sheet

Conditions to avoid : Avoid contact with incompatible materials and extreme temperatures.

Incompatible materials : Oxidizing agents, reducing agents, metals, alkalis.

Hazardous decomposition products : Oxides of carbon and nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Citric acid (77-92-9)		
LD50 oral rat 3 g/kg		
Ethyl alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LC50 inhalation rat (mg/l)	124.7 mg/l/4h	
Skin corrosion/irritation	: Not classified	

Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Aspiration hazard

Citric acid (77-92-9)			
LC50 fish 1	sh 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
Ethyl alcohol (64-17-5)			
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		

Persistence and degradability

No additional information available

Bioaccumulative potential

Citric acid (77-92-9)			
Log Pow	-1.72 (at 20 °C)		
Ethyl alcohol (64-17-5)			
Log Pow	-0.32		

Mobility in soil

Citric acid (77-92-9)			
Log Pow	og Pow -1.72 (at 20 °C)		
Ethyl alcohol (64-17-5)			
Log Pow	-0.32		

Other adverse effects

No additional information available

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG/US DOT

TDG

Not regulated for transport

DOT

Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

Citric acid (77-92-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethyl alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Citric acid (77-92-9)

Listed on the Canadian DSL (Domestic Sustances List)

WHMIS Classification

Class E - Corrosive Material

Propanoic acid, 2-hydroxy-, compound with N-[3-(4-morpholinyl)propyl]isooctadecanamide (1:1) (72300-24-4)

Listed on the Canadian DSL (Domestic Sustances List)

Ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Sustances List)

WHMIS Classification

Class B Division 2 - Flammable Liquid

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

National regulations

Citric acid (77-92-9)

Listed on the Canadian IDL (Ingredient Disclosure List)

Ethyl alcohol (64-17-5)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

Ethyl alcohol (64-17-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	No	No	

Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

None

Safety Data Sheet

Hygenall, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Hygenall be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY HYGENALL HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of the compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.